

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	method and class and ((independent\$3 near2 copy\$3) with class) and (table with parent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:18
L2	0	((independent\$3 near2 copy\$3) with class) and (table with parent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:18
L3	0	((independent\$3 with copy\$3) with class) and (table with parent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:18
L4	25	((independent\$3 with copy\$3) with class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:20
L5	1	((creat\$3 mak\$3) with copy with class with tree) and method and (table with parent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:22
L6	4	((creat\$3 mak\$3) with copy with class with tree) and method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:22
L7	2384	deriv\$3 with object with class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:22
L8	1029	7 and method and parent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:23

L9	845	8 and inherit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:23
L10	483	9 and serial\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:23
L11	360	10 and (gui OR ui OR dialog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:31
L12	313	10 and (dialog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 13:31
L13	289	12 and (programming with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:22
L14	28	13 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:57
L15	9081	"717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 14:57
L16	1	15 and ((creat\$3 mak\$3) with complete with copy with class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:31

L17	7	((creat\$3 mak\$3) with complete with copy with class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:31
L18	4	15 and (clon\$3 near2 class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:31
L19	3	("5805899"   "5966702"   "6298478").PN. OR ("6810519").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/19 15:34
L20	4	(independent near2 copy) with class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:37
L21	4	(independent near3 copy) with class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:38
L22	26	smalltalk and dup	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:38
L23	1	smalltalk and dup and deep and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:41
L24	7	deep with copy with class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:39
L25	4	smalltalk and (deep adj copy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 16:02

L26	23	(clon\$3 (deep adj copy) copy\$3) with abstract with class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 16:14
L29	858	instantiat\$3 adj class\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 16:21
L30	70	29 and copy and parent and serialization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 16:21
L32	83	(abstract with base with class) and serialization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 17:45
L33	56	32 and dialog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 17:44
L34	27	32 not 33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 17:50
L35	3	(clon\$3 near2 class\$2) and serialization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 17:50
L36	15	(clon\$3 near2 class\$2) and serializ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 17:50

L37	18	(clon\$3 near2 class\$2) and serializ\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 17:51
L38	28	(clon\$3 near3 class\$2) and serializ\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 17:51
L39	24	deep near2 clon\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 18:20
L40	1	39 and serializ\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 18:20
S1	1146	(deriv\$3 with (class OR object)) and (tree with (object OR class))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 16:30
S2	229	717/108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 16:18
S3	32	((deriv\$3 with (class OR object)) and (tree with (object OR class))) and 717/108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 16:18
S4	95	((deriv\$3 with (class OR object)) and (tree with (object OR class))) and inheritance and instantiation and dialog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 10:57
S5	46	(deriv\$3 with (class OR object)) and (copy with (object OR class) with stor\$3) and (name with copy) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 16:32

S6	9	((deriv\$3 with (class OR object)) and (copy with (object OR class) with stor\$3) and (name with copy) and memory) and inherit\$4 and instantiat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 16:36
S7	178	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 16:40
S8	558	717/108,109,116.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 16:41
S9	21	717/108,109,116.ccls. and instantiat\$3 and inherit\$4 and deriv\$5 and copy and tree and name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 10:32
S10	23	717/108,109,116.ccls. and instantiat\$3 and inherit\$4 and deriv\$5 and (class with tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 10:05
S11	17	duplicat\$3 with instance with tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 10:32
S12	14	717/108,109,116.ccls. and instantiat\$3 and inherit\$4 and creat\$3 and copy\$ing with (class OR object OR parent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 10:38
S13	0	717/108,109,116.ccls. and ((class OR object) with copy with all with instances)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 10:39
S14	27	717/108,109,116.ccls. and ((class OR object) with (copy OR duplicate) with instances)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 10:39
S15	16755	"27" and inherit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 10:40

S16	21	((717/108,109,116.ccls. and ((class OR object) with (copy OR duplicate) with instances)) and inherit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 10:40
S17	9	((717/108,109,116.ccls. and ((class OR object) with (copy OR duplicate) with instances)) and inherit\$4) and instantiat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 10:51
S18	6	duplicat\$3 same entire same parent same (classes OR objects)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 10:51
S19	96	((deriv\$3 with (class OR object)) and (tree with (object OR class))) and inheritance and instantiation and dialog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 10:58
S20	244	((deriv\$3 with (class OR object)) and (structure with (object OR class))) and inheritance and instantiation and dialog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 10:58
S21	178	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 10:58
S22	7	((deriv\$3 with (class OR object)) and (structure with (object OR class))) and inheritance and instantiation and dialog) and 717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 11:13
S23	34	(copy\$3 OR duplicat\$3) near2 (class OR object) near2 structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 11:17
S24	2	"6178545".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 11:18
S25	19	(copy\$3 OR duplicat\$3) near2 class with structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 11:29

S26	4299	(user near interface) and (object\$1oriented OR (object adj oriented)) and (creat\$3 OR copy\$3 OR duplicat\$3) near2 (object OR class OR parent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 11:32
S27	1716	((user near interface) and (object\$1oriented OR (object adj oriented)) and (creat\$3 OR copy\$3 OR duplicat\$3) near2 (object OR class OR parent)) and inheritance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 11:32
S28	536	((((user near interface) and (object\$1oriented OR (object adj oriented)) and (creat\$3 OR copy\$3 OR duplicat\$3) near2 (object OR class OR parent)) and inheritance) and instantiation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 11:32
S29	75	(((((user near interface) and (object\$1oriented OR (object adj oriented)) and (creat\$3 OR copy\$3 OR duplicat\$3) near2 (object OR class OR parent)) and inheritance) and instantiation) and clon\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 11:32
S30	43	(((((user near interface) and (object\$1oriented OR (object adj oriented)) and (creat\$3 OR copy\$3 OR duplicat\$3) near2 (object OR class OR parent)) and inheritance) and instantiation) and clon\$3) and dialog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 12:27
S31	213	visual and dialog and (object near oriented) and (class OR object) and serializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 12:30
S32	158	(visual and dialog and (object near oriented) and (class OR object) and serializ\$5) and inherit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 12:29
S33	357135	((visual and dialog and (object near oriented) and (class OR object) and serializ\$5) and inherit\$4) instant\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 12:29
S34	28	visual same dialog and (object near oriented) and (class OR object) and serializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 13:29



S35	3	(visual same dialog and (object near oriented) and (class OR object) and serializ\$5) and serialization with (copy\$3 OR sav\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 12:35
S36	8	(visual same dialog and (object near oriented) and (class OR object) and serializ\$5) and serialization same (copy\$3 OR sav\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 12:35
S37	193	visual same java and (object near oriented) and (class OR object) and serializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 13:29
S38	180	(visual same java and (object near oriented) and (class OR object) and serializ\$5) and (user near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 13:29
S39	18	((visual same java and (object near oriented) and (class OR object) and serializ\$5) and (user near2 interface)) and toolbar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 13:30